



# **Technical specification**


# Front elevation



# Side elevation



# Plan elevation



# **Machine dimensions**

Height: 764 mm, Amp width: 205 mm, Amp depth: 130 mm, Base diameter: 248 mm

Dyson technology is available to buy or rent. Just contact: xxxxxxxxx (add Tel No. here) www.Dyson.xx



	Project and Job Number	Client	Type Area Box (h x w)
= =	CR12351_H186271_P363737	Dyson	
	Publication	Market	Trim Box (h x w)
		Multiple Markets	297.00 x 210.00 mm
	Insertion Date	Operator	Bleed Box (h x w)
	null		303.00 x 216.00 mm
Hogarth Worldwide	Contact		Date & Time
			26/01/2021 21:31

Operator	Proofreader
Line Manager	Account Manager
Light Box	Light Box





100V - JP, TW 120V - US, MX, CA 220V - CN, RU, KR, HK, TR 230V - US, EMFA, GB, IN, ANZ

#### Electrical

Input voltage: 240V

Standby power consumption: <0.5W

Max input power: 40W
Min input power: 6W

#### Construction

Polypropylene

Polycarbonate

ABS

#### Filter

Combi filter

Material: Glass media and carbon filter

Filter life: One year based on 12hr use a day; or 6 months based on 24hr use a day

Height: 219 mm

Diameter: 211 mm

Unboxed weight: 1.04kg

### Operation

For indoor use only

Operation environment

Engineered to operate between 0-104°F (0-40°C), 0-100% humidity

10 speed settings

Oscillation: 350°

Tilt: ±10°

Auto mode:

Automatically monitors air quality and adjusts airflow accordingly

Standby mode

Sleep time increments: 1, 2, 4, 8hrs

Hidden LCD screen

Airflow at max setting (Fan mode): 290 l/s

Primary airflow (Purifier mode): Max 40 std l/s

Primary airflow (Fan mode): Max 28.17 std l/s

Room coverage: 27m² to POLAR

Sound level at min flow rate (Fan mode): Max 46 dB (Speed 4)

Sound level at min flow rate (Purifier mode): Max 46 dB (Speed 4)

Sound level at max flow rate (Fan mode): Max 63 dB

Sound level at max flow rate (Purifier mode): Max 62 dB

Remote control battery: CR2032L coin cell

Remote control functions: On/Off, Info, Oscillation, Fan/Purifier mode, Sleep mode, Fan Speed control 1-10, Heater Temperature control

## Dyson Link app

Automatically monitors, reacts and purifies

Live air quality metrics straight to your smart phone

### Logistics

Single unit order code:

White/Silver: XXXXXX-XX, Black/Nickel: XXXXXX-XX

Unit barcode:

White/Silver: XXXXXXXXXXXXX, Black/Nickel: XXXXXXXXXXXXX

Net weight: 5.5kg

Packaged weight: 8.2kg

Packaged dimensions:

(H)  $1045 \text{ mm} \times \text{(W)} 280 \text{ mm} \times \text{(D)} 280 \text{ mm}$ 

Cable length: 1.8m

### Standard guarantee

2-year guarantee



# **Product range**

White/Silver

Black/Nickel






Dyson technology is available to buy or rent. Just contact: xxxxxxxxxx (add Tel No. here)

www.Dyson.xx

 $1. \ Requires \ iOS\ 8.0 \ or\ later\ or\ Android\ 4.0 \ or\ later. For\ app\ compatibility, please\ search\ for\ Dyson\ Link\ on\ the\ iOS\ App\ Store\ or\ the\ Google\ Play\ Store.$ 






Operator	Proofreader	Cyan Magenta
Line Manager	Account Manager	Yellow Black TBC/NOT FOR PRINT
Light Box	Light Box	




# **Technical specification**


# Front elevation



# Side elevation



# Plan elevation



# **Machine dimensions**

Height: 764 mm, Amp width: 205 mm, Amp depth: 130 mm, Base diameter: 248 mm

Dyson technology is available to buy or rent. Just contact: xxxxxxxxx (add Tel No. here) www.Dyson.xx



	Project and Job Number	Client	Type Area Box (h x w)
= =	CR12351_H186271_P363737	Dyson	
= =	Publication	Market	Trim Box (h x w)
		Multiple Markets	297.00 x 210.00 mm
= =	Insertion Date	Operator	Bleed Box (h x w)
	null		303.00 x 216.00 mm
Hogarth Worldwide	Contact	·	Date & Time
			26/01/2021 21:31

Operator	Proofreader
Line Manager	Account Manager
Light Box	Light Box





Electrical

Input voltage: 230V

Standby power consumption: < 0.5 W

Max input power: 40W

Ain input power: 6W

Construction

Polypropylene Polycarbonate

ABS

Filter

Particulate and chemical filter

Material: PTFE media and carbon filter

Filter life: One year based on 12hr use a day;

or 6 months based on 24hr use a day

Height: 217 mm
Diameter: 211 mm
Unboxed weight: 1.35kg

Operation

For indoor use only

Operation environment

Engineered to operate between 0-104°F (0-40°C), 0-100% humidity

10 speed settings

Oscillation: 350°

Tilt: ±10°

Auto mode:

Automatically monitors air quality and adjusts airflow accordingly

Standby mode

Sleep time increments: 1, 2, 4, 8hrs

Hidden LCD screen

Airflow at max setting (Fan mode): 290 l/s

Primary airflow (Purifier mode): Max 43 std l/s

Primary airflow (Fan mode): Max 27.8 std l/s

Room coverage: 27m² to POLAR

Sound level at min flow rate (Fan mode): Max 46 dB (Speed 4)

Sound level at min flow rate (Purifier mode): Max 46 dB (Speed 4)

Sound level at max flow rate (Fan mode): Max 61 dB

Sound level at max flow rate (Purifier mode): Max 60.1 dB

Remote control battery: CR2032L coin cell

Remote control functions: On/Off, Info, Oscillation, Fan/Purifier mode,

Sleep mode, Fan Speed control 1-10

Dyson Link app

Automatically monitors, reacts and purifies

Live air quality metrics straight to your smart phone

Logistics

inale unit order code:

White/Silver: XXXXXX-XX, Black/Nickel: XXXXXX-XX

Unit barcode:

White/Silver: XXXXXXXXXXXXX, Black/Nickel: XXXXXXXXXXXXX

Net weight: 5.7kg

Packaged weight: 8.68kg

Packaged dimensions:

(H)  $10\overline{45}$  mm  $\times$  (W) 280 mm  $\times$  (D) 280 mm

Cable length: 1.8m

Standard guarantee

2-year guarantee



# **Product range**

White/Silver

Black/Nickel




0

Dyson technology is available to buy or rent. Just contact: xxxxxxxxxx (add Tel No. here)

www.Dyson.xx

 $1. \ Requires \ iOS\ 8.0 \ or\ later\ or\ Android\ 4.0 \ or\ later. For\ app\ compatibility, please\ search\ for\ Dyson\ Link\ on\ the\ iOS\ App\ Store\ or\ the\ Google\ Play\ Store.$ 





Operator	Proofreader	Cyan Magenta
Line Manager	Account Manager	Yellow Black TBC/NOT FOR PRINT
Light Box	Light Box	