





Technical specification


Front elevation



Side elevation



Plan elevation



Machine dimensions

Height: 1050 mm, Amp width: 204 mm, Amp depth: 120 mm,

Base diameter: 220 mm

Dyson technology is available to buy or rent. Just contact: xxxxxxxxx (add Tel No. here) www.Dyson.xx



= =	Project and Job Number CR12351_H186271_P363746	Client Dyson	Type Area Box (h x w)
	Publication	Market Multiple Markets	Trim Box (h x w) 297.00 x 210.00 mm
	Insertion Date null	Operator	Bleed Box (h x w) 303.00 x 216.00 mm
garth Worldwide	Contact		Date & Time 22/01/2021 11:23

Operator	Proofreader	Black TBC/NOT FOR PRINT
ne Manager	Account Manager	
Light Box	Light Box	



100V - JP, TW 120V - US, MX, CA 220V - CN, RU, KR, HK, TR 230V - US, EMEA, GB, IN, ANZ

Electrical

Input voltage: 240V

Standby power consumption: < 0.5 W

Max input power: 40W
Min input power: 6W

Construction

Polypropylene

Polycarbonate

ABS

Filter

Combi and SCO filter

Material: Glass media, carbon filter and SCO filter

Filter life: One year based on 12hr use a day; or 6 months based on 24hr use a day

Height: 219 mm
Diameter: 211 mm
Unboxed weight: 1.24kg

Operation

For indoor use only

Operation environment

Engineered to operate between 0-104°F (0-40°C), 0-100% humidity

10 speed settings

Oscillation: 350°

Tilt: ±10°

Auto mode:

Automatically monitors air quality and adjusts airflow accordingly

Standby mode

Sleep time increments: 1, 2, 4, 8hrs

Hidden LCD screen

Airflow at max setting (Fan mode): 290 l/s

Primary airflow (Purifier mode): Max 45.6 std l/s

Primary airflow (Fan mode): Max 40.4 std l/s

Room coverage: 27m² to POLAR

Sound level at min flow rate (Fan mode): Max 46 dB (Speed 4)

Sound level at min flow rate (Purifier mode): Max 46 dB (Speed 4)

Sound level at max flow rate (Fan mode): Max 61.4 dB

Sound level at max flow rate (Purifier mode): Max 61.5 dB

Remote control battery: CR2032L coin cell

Remote control functions: On/Off, Info, Oscillation, Fan/Purifier mode,

Sleep mode, Fan Speed control 1-10

Dyson Link app

Automatically monitors, reacts and purifies

Live air quality metrics straight to your smart phone

Logistics

Single unit order code

White/Gold: XXXXXX-XX, Nickel/Gold: XXXXXX-XX

Unit barcode:

White/Gold: XXXXXXXXXXXXX, Nickel/Gold: XXXXXXXXXXXXXX

Net weight: 4.85kg

Packaged weight: 8.07kg

Packaged dimensions:

(H) 1100 mm × (W) 260 mm × (D) 260 mm

Cable length: 1.8m

Standard guarantee

2-year guarantee



Product range

White/Gold

Nickel/Gold






Dyson technology is available to buy or rent. Just contact: xxxxxxxxxx (add Tel No. here)

www.Dyson.xx

 $1.\,Requires\ iOS\ 8.0\ or\ later\ or\ Android\ 4.0\ or\ later.\ For\ app\ compatibility,$ please search for\ Dyson\ Link\ on\ the\ iOS\ App\ Store\ or\ the\ Google\ Play\ Store.






Operator	Proofreader	Cyan Magenta	
Line Manager	Account Manager	Yellow Black TBC/NOT FOR PRINT	
Light Box	Light Box		




Technical specification


Front elevation



Side elevation



Plan elevation



Machine dimensions

Height: 1050 mm, Amp width: 204 mm, Amp depth: 120 mm,

Base diameter: 220 mm

Dyson technology is available to buy or rent. Just contact: xxxxxxxxx (add Tel No. here) www.Dyson.xx



= =	Project and Job Number CR12351_H186271_P363746	Client Dyson	Type Area Box (h x w)
	Publication	Market Multiple Markets	Trim Box (h x w) 297.00 x 210.00 mm
	Insertion Date null	Operator	Bleed Box (h x w) 303.00 x 216.00 mm
Worldwide	Contact		Date & Time

Operator	Proofreader	
Line Manager	Account Manager	
Light Box	Light Box	





Electrical

Input voltage: 230V

Standby power consumption: < 0.5W

Max input power: 40W

Min input power: 6W

Construction

Polypropylene Polycarbonate

ABS

Filter

Combi and SCO filter

Material: PTFE media, carbon filter and SCO filter

Filter life: One year based on 12hr use a day; or 6 months based on 24hr use a day

Height: 219 mm

Diameter: 211 mm Unboxed weight: 1.24kg

Operation

For indoor use only

Operation environment:

Engineered to operate between 0-104°F (0-40°C), 0-100% humidity

10 speed settings

Oscillation: 350°

Tilt: ±10°

Auto mode:

Automatically monitors air quality and adjusts airflow accordingly

Standby mode

Sleep time increments: 1, 2, 4, 8hrs

Hidden LCD screen

Airflow at max setting (Fan mode): 290 l/s

Primary airflow (Purifier mode): Max 45.6 std l/s

Primary airflow (Fan mode): Max 40.4 std l/s

Room coverage: 27m² to POLAR

Sound level at min flow rate (Fan mode): Max 46 dB (Speed 4)

Sound level at min flow rate (Purifier mode): Max 46 dB (Speed 4)

Sound level at max flow rate (Fan mode): Max 60.4 dB

Sound level at max flow rate (Purifier mode): Max 59.8 dB

Remote control battery: CR2032L coin cell

Remote control functions: On/Off, Info, Oscillation, Fan/Purifier mode,

Sleep mode, Fan Speed control 1-10

Dyson Link app

Automatically monitors, reacts and purifies

Live air quality metrics straight to your smart phone

Logistics

Single unit order code:

White/Gold: XXXXXX-XX, Nickel/Gold: XXXXXX-XX

Unit barcode:

White/Gold: XXXXXXXXXXXXX, Nickel/Gold: XXXXXXXXXXXXXX

Net weight: 4.85kg

Packaged weight: 8.07kg

Packaged dimensions:

(H) $1100 \text{ mm} \times \text{(W)} 260 \text{ mm} \times \text{(D)} 260 \text{ mm}$

Cable length: 1.8m

Standard guarantee

2-year guarantee



Product range

White/Gold

Nickel/Gold






Dyson technology is available to buy or rent. Just contact: xxxxxxxxxx (add Tel No. here)

www.Dyson.xx

 $1.\,Requires\ iOS\ 8.0\ or\ later\ or\ Android\ 4.0\ or\ later.\ For\ app\ compatibility,$ please search for\ Dyson\ Link\ on\ the\ iOS\ App\ Store\ or\ the\ Google\ Play\ Store.





Operator	Proofreader	Cyan Magenta	
Line Manager	Account Manager	Yellow Black TBC/NOT FOR PRIN	
Light Box	Light Box		